




Village of Hodgkins Communicator

A Message from Mayor Noel B. Cummings . . .

The Village of Hodgkins will be celebrating it's 125th Anniversary on August 28. It will be an opportune time to get out of the pandemic mood and enjoy the festivities. Parade, fireworks and picnic will be part of the Anniversary celebration. We have come a long way since 1896. No better time than August 28 to show our Village pride! **Be Part of Hodgkins History!**

We want to provide you with some exciting news from the Quarry Shopping Center. Construction work is underway for the opening of Aldi in October,



Noel B. Cummings
Village President



2021. Aldi is another nationally recognized name to complement Sam's Club, Walmart, Kohls and Target. Working with the management companies of Mid-America and Heitman the Village worked for months to bring in Aldi. In addition to this great news we also want everyone to know that the cosmetics company Sephora has signed an agreement to be prominently sold in our Kohls store. This will be a popular addition and will generate millions in revenue.

We are also happy to announce that Tropical Smoothie a made to order smoothie, wrap, sandwich and salad shop, will open in the building that also houses Dunkin and Verizon. The Poke Bowl will replace Subway and offers Asian and Hawaiian inspired bowls.

For the past 40 years the Village has always taken the position that we cannot just wait for good things to happen. You have to work to make them happen. Whether that be strategic investments or simply brainstorming with development professionals. I believe that our portfolio of commercial and industrial achievements is evidence that this strategy works. In that regard, we hope to make another announcement very soon that will enhance your shopping experience in the Village of Hodgkins.

There is one more bit of happy news that I would like to share with you.

District 105 School Board is now represented by two of our own residents.

Elias Lopez, the Board President and Kelly Young a member of the Board. We are happy and honored to have them not only represent District 105 but The Village of Hodgkins too.

Congratulations Elias and Kelly!



Elias Lopez and Kelly Young



Village Officials

Contact any of these officials by telephone at:

Hodgkins Village Hall
579-6700

Village President

Noel B. Cummings

Village Clerk

Stephanie Gardner

Trustees

Paul Struve

Larry Rice

Vicky Moxley

Dominic Misasi

Lida Mills

Tim Kovel

Village Comptroller

Melody Salerno

Village Attorneys

John T. O'Connell

Pat Rogers

Chief of Police

Ernest Millsap

CELEBRATE HODGKINS FEST AND OUR 125th ANNIVERSARY AUGUST 28



7:00 am - 10:00 am
Mayor Noel B. Cummings
Fishing Tournament



Come Out &
Watch the Parade.
You Might just win a
Prize!

10:30 am -11:00 am 125th Anniversary Parade

The parade starts at 10:30 and the route is as follows;

AMC parking lot 9201 w 63rd St.-exit left onto 63rd St. (from theatre lot)-right onto East Ave. (southbound)-Left onto Cobb-Left onto Kane Ave.-Left onto Lyons St. past Village Hall-exit Left onto Chester

Parking restrictions From 6:00 am—11:30 am


No Parking Kane Ave. (6500 block) - No Parking Cobb (from East Ave.-Kane)
No Parking Lyons St. (Kane-Chester) - No parking on Chester Ave. (6500 block)



11:00 am 125th Anniversary
Presentation & Speeches
—Free Hot Dog Lunch to follow



12:00 pm - 5:00 pm



Children's Inflatables & Activities



12:00 pm - 9:00 pm
Beer and Concessions



12:00 pm - 5:00 pm
Eurobungy, Airbrush
Tattoos, Mini Golf

12:00 pm - 6:00 pm
MT Events DJ and Entertainment



12:00 pm - 7:00 pm Splash Harbor: Free Entry!



NOON - 3:00 pm
Face Painting



4:00 pm - 5:00 pm
Cake Walk



1:30 pm - 2:00 pm
Stilt Walking

3:00 pm - 4:00 pm Hodgkins Public Library Loteria

5:00 pm - 8:00 pm Bingo



6:00 pm - 7:00 pm

Comedy Hypnotist Darrin Johnson



7:00 pm - 8:00 pm
Bags Contest



12:30 pm - 1:00 pm
&

2:30 pm - 3:00 pm
John Measner Magic Show



5:00 pm - 5:30 pm
Village Vocal Cords



7:00 pm
Lucky Ladder Drop
Win BIG Prizes!



7:00 pm - 9:00 pm



9:00 pm Raffle Drawing,
Fishing Tournament Winners:




9:00 pm Fireworks

9:30 pm Picnic Closes



Melody Salerno
Village Comptroller



SHOW YOUR TOWN PRIDE WITH A HODGKINS 125TH COMMEMORATIVE FLAG

18" x 36" \$20.00

Order by July 23, 2021

Available in red / blue / green / purple

Contact the Village for more information 708-579-6700



125th ANNIVERSARY BOOK

We are in the process of gathering information for a 125th edition of the Village of Hodgkins anniversary book. Anyone with old pictures or stories they would like to include please contact The Village Hall. Any photos, (school from all grades and eras, back yard and silly pictures, buildings and homes, etc) will be scanned and returned. We would like to gather as much information for this book to give a complete history.

Hodgkins' Food Pantry

If you are a resident in need of food the Village of Hodgkins has a food pantry located inside the Village Hall. Once a month you may receive a box of food. You will need to provide a valid state I.D. or drivers license. Please call us so we can have a box ready for you 708-579-6700.

We also take donations for our food pantry. We accept any non expired non perishable foods, paper products, diapers or gift cards in \$25.00 increments. Please contact the Village with any questions or feel free to drop off your donation.

VOLUNTEERS NEEDED

We are looking for volunteers to help out when we host the Mobile Food Pantry.

If you would like to help out please contact the Village 708-579-6700.

Our Next one is September 21.



Mobile Pantry Free Fresh Fruit, Vegetables & Non-perishable groceries

Open to the public. All Lyons Township residents are encouraged to attend.

Every Third Tuesday of the Month 3:30 p.m.—5:30 p.m.

July 20, 2021 St. Blasé, 7438 W 61st Place, Summit, IL 60501

August 17, 2021 Justice Village Hall, 7800 Archer Road., Justice, IL 60458

Sept. 21, 2021 Hodgkins Village, 9096 Joliet Road, (Fire Department), Hodgkins, IL 60525

Oct. 19, 2021 St. Blasé, 7438 W 61st Place, Summit, IL 60501

Nov. 23, 2021 Justice Village Hall, 7800 Archer Road., Justice, IL 60458

December 21, 2021 Hodgkins Village, 9096 Joliet Road, (Fire Department), Hodgkins, IL 60525

Other Local Food Pantries

St. Cletus

600 W 55th St., Lagrange

708-215-5418

2nd Thursday 6:30pm-8pm

Boundaries: Lyons Township

St. Francis Xavier

124 N Spring Ave., Lagrange

708-352-0168 Tues. 9:30am—11am

Boundaries: Zip Codes 60525 & 60526

Second Bap. Church of LaGrange

26 Washington Ave. (Back Entrance)

708-354-5907 Monday 10am-12pm

Boundaries: Maywood, Agro, Lyons, & Western Springs



Trustee
Lida Mills

Aging Well

We will be resuming our regular membership meetings at the Village Hall in the Larry Rice Room on the third Wednesday of each month.

Our Mother's day lunch was a wonderful way to get back to a little bit of normal. We had a nice turn out, great food and lots of fun!



Trustee
Dominic Misasi



Paying your water bills online is easy to do and available 24 –7

Simply go to our website: www.villageofhodgkins.org

Go to the quick resources tab, pay bills tab, and make a one-time payment by filling in your information. It's that easy! You can even pay on your phone.

There is a small service charge.

NOTICE VACANT LOT SALE

The Village of Hodgkins presently owns one (1) vacant residential lot (Zoned R-1) which will be offered for sale pursuant to our bid process. The address of the property is:

6601 Kane Avenue – Corner Lot Located on Alley

Starting bid for the lot will begin at \$80,000. Successful bidder must commence construction within twelve months of the acceptance of said bid. Successful bidder must live in the home for three (3) years. All bids, along with a refundable \$5000 check payable to the Village of Hodgkins, must be presented to the Village Comptroller at the Village Hall, 8990 Lyons Street, Hodgkins, IL 60525 by 10:00 am on July 21, 2021. All bids will be opened beginning at 10:00 am on **July 21, 2021**.

Individual lot information packets will be available at the Hodgkins Village Hall. If there are any questions regarding this bidding process please call the Village at 708-579-6700.

June 21, 2021

Stephanie Gardner, Hodgkins Village Clerk

Village of Hodgkins Communicator

Page 6

2020 Consumer Confidence Report
Public Water Supply Facility ID: IL0311260
Noel B. Cummings, Village President

June, 2021

Este informe contiene información muy importante sobre el agua que usted bebe. Tradúzcalo ó hable con alguien que lo entienda bien.

Dear Hodgkins Water Customer,

The Village of Hodgkins, in compliance with the Safe Drinking Water Act (SDWA), and in conjunction with the Village of McCook and the City of Chicago is issuing this Consumer Confidence Report (CCR) for the monitoring period of January 1, 2020 through December 31, 2020. Along with this report is important information concerning the quality and source of your drinking water. During 2020, the Village of Hodgkins continued to provide water that meets the monitoring and testing requirements of the United States Environmental Protection Agency (USEPA) and the Illinois EPA drinking water standards.

If you would like to learn more, please contact the Village Hall or visit our website at <http://www.villageofhodgkins.org>. There you will find the completed Illinois EPA Source Water Assessments including current Village Water Infrastructure projects. You may also visit the Illinois EPA to access other information regarding Source Water Source Water Assessments, including: Importance of Source Water; Susceptibility to Contamination Determination; and documentation/recommendation of Source Water Protection Efforts, you may access the Illinois EPA at: <http://dataservices.epa.illinois.gov/swap/factsheet.aspx>.

Additional Information

If there are any questions, concerns, or if additional information is needed, please contact Ken Tucker, Water Department Licensed Foreman, at (708) 579-6700. Also, you can participate in one of our regularly scheduled board meetings, located in the Village Hall boardroom at 8990 Lyons Street, Hodgkins, IL 60525. The Village Board meets on the second Monday of every month at 7:00 PM. Additional information can also be found by contacting the USEPA's Safe Drinking Water Hotline at: (1-800-426-4791). Copies of this report will be available at the Village Hall.

Please share this important information with all the other people who drink this water, especially those who may not have received this notice directly (for example, people in apartments, nursing homes, schools, and businesses). You can do this by posting this notice in a public place or distributing copies by hand or mail.

Lawn Care Recommendations

The Village of Hodgkins recommends watering deeply and infrequently. One inch of water per week is ideal and over-watering wastes your money. Over-watering removes plant nutrients from the soil and can cause disease problems in your lawn.

The Village of Hodgkins follows the water conservation recommendations of the Illinois EPA on sprinkling restrictions. The Village prohibits sprinkling between the hours of 11:00 AM. to 6:00 PM. during the period of May 15 to September 15.

CONSUMER INFORMATION

The Village of Hodgkins tests the water supply for chlorine content daily to maintain the optimum levels for the consumers' needs. On a monthly basis, bacteriological samples are taken. On a yearly basis, samples are submitted for Total Trihalomethane (TTHM) Analysis. Samples are also provided for lead and copper monitoring on a schedule established by the IEPA. All testing and reports are performed according to the requirements of IEPA.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline at (800) 426-4791.

In order to ensure that tap water is safe to drink, the EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. The Federal Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The EPA and the Center of Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791.

Lead: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing; lead is not found in the source water. We cannot control the variety of materials used in plumbing components. Lead can enter drinking water when service pipes that contain lead corrode, especially where the water has high acidity or low mineral content that corrodes pipes and fixtures. The most common problem is with brass or chrome-plated brass faucets and fixtures with lead solder, from which significant amounts of lead can enter the water. Homes built before 1986 are more likely to have lead pipes, fixtures, and solder. The Safe Drinking Water Act (SDWA) has reduced the maximum allowable lead content to a weighted average of 0.25 percent. This is calculated across wetted surfaces of pipes, pipe fittings, plumbing fittings, fixtures and 0.2 percent for solder and flux.

The Safe Drinking Water Act requires the EPA to determine the level of contaminants in drinking water at which no adverse health effects are likely to occur with an adequate margin of safety. These non-enforceable health goals, based solely on possible health risks, are called maximum contaminant level goals (MCLGs). The EPA has set the maximum contaminant level goal for lead in drinking water at zero because lead is a toxic metal that can be harmful to human health even at low exposure levels. Lead is persistent, and it can bioaccumulate in the body over time.

Measures to Reduce Lead in Drinking Water at Home: Flush your pipes before drinking. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. Use only cold water for drinking, cooking, and especially for making baby formula. Hot water is likely to contain higher levels of lead. Run cold water until it becomes as cold as it can get. Note that boiling water will NOT get rid of lead contamination. Bathing and showering should be safe for you and your children, even if the water contains lead over EPA's action level; human skin does not absorb lead in water. This information applies to most situations and to a large majority of the population, but individual circumstances may vary.

If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline (800-426-4791) or at <http://www.epa.gov/safewater/lead>.

DEFINITION OF TERMS / UNITS OF MEASUREMENTS

DEFINITION OF TERMS		
Maximum Contaminant Level Goal (MCLG): The level of contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.	Action Level Goal (ALG): The level of a contaminant in drinking water below which there is no known or expected risk to health. ALGs allow for a margin of safety.	
Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.	Date of Sample: If a date appears in this column, the Illinois EPA requires monitoring for this contaminant less than once per year because the concentrations do not frequently change. If no date appears in the column, monitoring for this contaminant was conducted during the CCR calendar year.	
Maximum Residual Disinfectant Level Goal (MRDLG): The level of drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.	Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.	
Maximum Residual Disinfectant Level (MRDL): The highest level of disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.	ND: Not detectable at testing limits. N/A: Not applicable	
Range of Detections: This column represents a range of individual sample results, from lowest to highest that were collected during the CCR calendar year.	Turbidity: Is a measurement of the cloudiness of the water caused by suspended particles. We monitor it because it is a good indicator of water quality and the effectiveness of the filtration system and disinfectants.	
Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.	UNITS OF MEASUREMENTS	
	ppb: Micrograms Per Liter or Parts Per Billion (or url), or one ounce in 7,350,000 gallons of water.	
	ppm: Milligrams Per Liter or Parts Per Million (or mg/l), or one ounce in 7,350 gallons of water.	
	NTU: Nephelometric Turbidity Unit, used to measure cloudiness in drinking water.	
	%<0.3NTU: Percent samples less than 0.3 NTU	
	pCi/L: Picocuries per liter, used to measure radioactivity	
	mrem: Millirems per year (a measure of radiation absorbed by the body)	

SOURCE WATER ASSESSMENT:

In 2020, all the approximate 156 million gallons of water the Village of Hodgkins distributed, came from Lake Michigan. Lake Michigan is the only Great Lake that is entirely contained within the United States. It borders Illinois, Indiana, Michigan, and Wisconsin, and is the second largest Great lake by volume with 1,180 cubic miles of water and third largest by area. Lake Michigan water is drawn from far offshore structures (known as Cribs) along the bottom of the Lake and treated at the City of Chicago Jardine Water Purification Plant (North of Navy Pier). This water is pumped through large transmission lines to the near Chicago suburbs where it is collected and redistributed. Hodgkins purchases water from the Village of McCook, which is received in our Lenzi Avenue reservoir and pumping station complex. The water is then distributed through the Village's water main grid system of over 12.5 miles of pipe to the local and retail customer base.

SOURCE WATER ASSESSMENT SUMMARY

The Illinois EPA implemented a Source Water Assessment Program (SWAP) to assist with watershed protection of public drinking water supplies. The SWAP inventories potential sources of contamination and determined the susceptibility of the source water to contamination. The Illinois EPA has completed the Source Water Assessment Program for our supply.

Further information on our community water supply's Source Water Assessment Program is available by calling Chicago's DWM at 312-742-2406 or by going online at <http://dataservices.epa.illinois.gov/swap/factsheet.aspx>.

SUSCEPTIBILITY OF CONTAMINATION

The Illinois EPA considers all surface water sources of community water supply to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection only dilution. This is the reason for mandatory treatment of all surface water supplies in Illinois. Chicago's offshore intakes are located at a distance that shoreline impacts are not usually considered a factor on water quality. At certain times of the year, however, the potential for contamination exists due to wet-weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl, gulls and terns that frequent the Great Lakes area, thereby concentrating fecal deposits at the intake and thus compromising the source water quality. Conversely, the shore intakes are highly susceptible to storm water runoff, marinas, and shoreline point sources due to the influx of groundwater to the lake.

SOURCE OF DRINKING WATER CONTAMINATION

The source for both tap water and bottled water includes rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

Microbial Contaminants: such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic Contaminants: such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and Herbicides: which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.

Organic Chemical Contaminants: including synthetic and volatile organic chemicals, which are by-products of industrial process and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive Contaminants: which can be naturally-occurring or be the result of oil and gas production and mining activities.

THE CITY OF CHICAGO TESTING INFORMATION

The Fourth Unregulated Contaminant Monitoring Rule (UCMR 4)

In compliance with UCMR 4, samples were collected at Chicago Water System's entry points to the distribution system (EPTDS), also known as finished water, and analyzed for all contaminant groups except for Haloacetic Acids (HAAs), which were sample from the distribution system. All the contaminant groups tested in finished water were below the minimum reporting levels specified in the test method under UCMR 4. Samples for HAA indicators (Total Organic Carbon and Bromide) were collected at two source water influent points for the system. For Bromide, test results ranged from 28.2 to 35.3 ppb, and for TOC, test results ranged from 1.79 to 1.80 ppm.

Illinois EPA's Sampling of PER- and Polyfluoroalkyl Substances (PFAS)

The Illinois EPA collected finished water samples from Chicago's Water System on 10/29/2020 and analyzed the samples for a total of 18 PFAS contaminants. In its notification to Chicago, the Illinois EPA stated that these contaminants were not present in Chicago's drinking water at concentrations greater than equal to the minimum reporting levels.

2020 Voluntary Monitoring

The City of Chicago monitors for Cryptosporidium, Giardia and E. coli in its source water as part of its water quality program. Cryptosporidium has not been detected in these samples, but Giardia was detected in September 2010 in one raw lake water sample collected. Treatment processes have been optimized to provide effective removal of Cryptosporidium and Giardia from the source water. By maintaining low turbidity through the removal of particles from the water, the possibility of such organisms getting into the drinking water system is greatly reduced. In 2020, the City of Chicago has also continued monitoring for hexavalent chromium, also known as Chromium-6. USEPA has not yet established a standard for chromium-6, a contaminant of concern which has both natural and industrial sources. Chromium-6 sampling data are posted at:

https://www.chicago.gov/city/en/depts/water/supp_info/water_quality_resultsandreports.html

For more information, please contact
Andrea Cheng, Acting Commissioner
at 312-744-8190

Chicago Department of Water Management
1000 East Ohio Street
Chicago, IL 60611
Attn: Andrea Cheng

REGULATED CONTAMINANT TABLES

Regulated Disinfectants & Disinfection By-Products	MCLG	MCL	Highest Level Detected	Range of Levels Detected	Units	Municipality	Violation	Collection Date	Likely Source of Contaminants
Chlorine	MRDLG = 4	MRDL = 4	1	0.89 — 1.2	ppm	Hodgkins	N	12/31/2020	Water additive used to control microbes.
	MRDLG = 4	MRDL = 4	1.4	1.13 — 1.55	ppm	McCook	N	12/31/2020	
	MRDLG = 4	MRDL = 4	1	1 — 1	ppm	Chicago	N	12/31/2020	
Haloacetic Acids (HAA5)	No Goal	60	29	17.29 — 29	ppb	Hodgkins	N	2020	By-Product of drinking water disinfection.
	No Goal	60	23	23 — 23	ppb	McCook	N	2020	
	No Goal	60	12	6.8 — 17.6	ppb	Chicago	N	2020	
Total Trihalomethanes (TTHM)	No Goal	80	75	41.1 — 74.6	ppb	Hodgkins	N	2020	
	No Goal	80	44	44 — 44	ppb	McCook	N	2020	
	No Goal	80	29	15 — 40	ppb	Chicago	N	2020	

Inorganic Contaminants

Barium	2	2	0.0201	0.0198 — 0.0201	ppm	Chicago	N	2020	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits.
Fluoride	4	4.0	0.75	0.65 — 0.75	ppm	Chicago	N	2020	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories.
Nitrate (Measured as Nitrogen)	10	10	0.42	0.35 — 0.42	ppm	Chicago	N	2020	Runoff from fertilizer use; leaching from septic tanks, sewage; Erosion of natural deposits.
Total Nitrate & Nitrite (Measured as Nitrogen)	10	10	0.42	0.35 — 0.42	ppm	Chicago	N	2020	Runoff from fertilizer use; leaching from septic tanks, sewage; Erosion of natural deposits.
Sodium	N/A	N/A	9.55	8.73 — 9.55	ppm	Chicago	N	2020	Erosion from naturally occurring deposits. Used in water softener regeneration.
Sulfate	N/A	N/A	27.8	27.5 — 27.8	ppm	Chicago	N	2020	Erosion of naturally occurring deposits.

Radio Active & Synthetic Organic Contaminants

Combined Radium 226/228	0	5	0.95	0.83 — 0.95	pCi/L	Chicago	N	02/04/2020	Erosion of natural deposits.
Gross alpha excluding radon and uranium	0	15	3.1	2.8 — 3.1	pCi/L	Chicago	N	02/04/2020	Erosion of natural deposits.

Coliform Bacteria

Total Coliform Maximum Contaminant Level	Total Coliform Maximum Contaminant Level	Highest No. of Positive	Fecal Coliform or E. Coli Maximum Contaminant Level	Total No. Positive E. Coli or Fecal Coliform Samples	Municipality	Violation	Likely Source of Contaminants
0	5% of Monthly Samples are positive.	0.2		0	Chicago	N	Naturally present in the environment.

Lead and Copper

	MCLG	Action Level (AL)	90th Percentile	# Sites Over AL	Units	Municipality	Violation	Date Sampled	Likely Source of Contaminants
Lead	0	15	9.1	0	ppb	Chicago	N	09/19/2018	Corrosion of household plumbing systems; Erosion of natural deposits.
Copper	1.3	1.3	0.074	0	ppm	Hodgkins	N	06/20/2018	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems.
	1.3	1.3	0.1	0	ppm	McCook	N	09/25/2018	
	1.3	1.3	0.091	0	ppm	Chicago	N	09/19/2018	
Turbidity	Limit (Treatment Technique)		Level Detected	Municipality		Violation		Likely Source of Contaminants	
Highest Single Measurement %	1 NTU		0.16 NTU	Chicago		N		Soil Runoff.	
Lowest Monthly % meeting Limit	0.3 NTU		100%	Chicago		N		Soil Runoff.	

Total Organic Carbon:

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements set by the IEPA, unless a TOC violation is noted in the violations section.

2020 VIOLATION SUMMARY TABLE

Village of Hodgkins Violation Table			
Violation Type	Violation Begin	Violation End	Violation Explanation
NONE	N/A	N/A	NONE

UNREGULATED CONTAMINANTS — UCMR4

The EPA uses the Unregulated Contaminant Monitoring (UCM) program to collect data for contaminants suspected to be present in drinking water, but that do not have health-based standards set under the Safe Drinking Water Act (SDWA). Every five years the EPA reviews the list of contaminants, largely based on the Contaminant Candidate List. The Village of Hodgkins was not selected to participate in the 2020 UCMR4 program by the EPA.



Fair Housing Act

The Village of Hodgkins is committed to promoting Fair Housing efforts through fair and equal housing opportunities for our citizens. Fair Housing is the right for all people to have safe, decent housing and be able to get this housing without discrimination. Village, State, and Federal Fair Housing laws require that all people have an equal opportunity to buy, rent, or live in housing. Title VIII of the Civil Rights Act of 1968 (Fair Housing Act), as amended, prohibits discrimination in the sale, rental, and financing of dwellings, and in other housing-related transactions.

FEDERAL FAIR HOUSING LAWS PROHIBIT DISCRIMINATION BASED ON: RACE, COLOR, RELIGION, NATIONAL ORIGIN, SEX, FAMILY STATUS, DISABILITY
Complaints of discrimination in housing can be filed with the Village of Hodgkins, the IL Dept. of Human Rights, or the U.S. Dept of Housing & Urban Development.

Complaints to the Village can be filed in writing to: Village Clerk—Village of Hodgkins, 8990 Lyons St, Hodgkins, Illinois 60525

It is with sadness that we say goodbye to Hodgkins First Woman Police Officer.


Janet Lynn (Klotz) Coleman

1957—2021



Janet was born in Hodgkins to Jack and Shirley (Jones) Klotz. She was always involved in the community. She was our first woman police officer and served our community from 1984—1989. Janet designed Hodgkins Centennial Flag. She raised her children Jessica, Jackie, and Janelle in Hodgkins. She was married to her husband, Tom Coleman at the Immanuel Lutheran Church in Hodgkins in 1987. Janet loved many things including playing the piano at Christmas, drawing, painting, and sewing Halloween costumes for her grandkids. She could always be found playing the organ at church and helping out in Sunday school. Though she had many joys in life, nothing brought her more happiness then spending time with her family.

Janet touched the lives of everyone she met. Her kind heart and gentle soul lives on in the memory of all who knew her.



Summer Reading Program!

June 13—August 7

Log the books you read or listen to, between June 13th and August 7th. Each log can equal 5 entry ticket for prizes, with a limit of 2 logs. All Logs must be turn in by August 9th.

Children Wacky Wednesday (With a Twist!)

Wednesday, June 2, 9, 16, 23, 30 | July 7, 14, 21, 28 | August 4, 11, 18, 25

Join us on Facebook every Wednesday for some fun! We will provide crafts, snacks, and other activities. Pick up the Wacky Wednesday kit every week to join in on the fun.



Hodgkins Park District

Please check the Park District website for fun events!

www.hodgkinspark.com

708-354-6569

Our 2021 Summer Brochure is available on our website and filled with fun actives to do over the summer.



Please Support!



Here are the addresses of some of our active duty military.

If you have a family member you would like to include please call the Village Hall with the persons name and address.

Major Cummings, Brandon
412 Blackberry Drive
Elgin, OK 73538
Grandson of Mayor Cummings

Amn Sheldon, Michael James
527 I Ave, Unit 2535
Sheppard AFB, TX 76311
Son of Ed Sheldon

Major Sneed, Cody
5476 N Mercier Ave.
Kansas City, MO 64118
Grandson of Ruth Sneed

SPEC 4 Udziela, Bradley
11524 10th Ave.
CTE Apt. G 106
Tacoma, WA 98445
Grandson of Bill & Dianne Knack



PVT Gonzalez, Elizabeth
CCO. 1-48 INF BN
495 Iowa Avenue, Unit#33
Fort Leonard Wood, MO 65473
Daughter of Lucina & Roberto González



Memorial Day

We would like to thank the Coulter American Legion Post #1941 for their participation in this years Memorial Day service. The Coulter Post has been providing the Honor Guard and Official service for our Veterans Memorial since 1989. As usual, they did a fantastic job and provided us with a patriotic and moving service.

*To those who courageously gave their lives and those who bravely fought and fight today
Thank You!*



A Special Thanks to our Public Works Department, Dan Tholotowsky and Corp. Sarah Tholotowsky, USMC, for setting up the crosses. It always looks so nice and is much appreciated by the Village.



Village of Hodgkins
8990 Lyons Street
Hodgkins, Illinois 60525

PRESORT
STANDARD
U.S. POSTAGE PAID
LAGRANGE, ILLINOIS
PERMIT NO. 506

Designed & Edited By: Trustee Dominic Misasi, Rodney Cummings & Jodi Ellsworth

Dates to Remember:

The Village Hall Offices will be Closed Monday July 5th

Mayor Cummings Annual Fishing Tournament—August 28th

August 28th 10am—9:30pm—Hodgkins FEST & 125th Anniversary

Please check inside on page 2 for parade route and
www.hodgkinspark.com

The Village Hall Offices will be Closed Monday September 6th

Mobile Pantry— September 21st—3:30pm—5:30pm



Hodgkins Celebrates 125 years!

Contact us

Village of Hodgkins
8990 Lyons Street
Hodgkins, Illinois 60525

708-579-6700

Fax: 708-579-6707

www.villageofhodgkins.org



Join us on face book
[@villageofhodgkins](https://www.facebook.com/villageofhodgkins)

Regular Village Hall Hours:
Monday—Friday
8:00 a.m.—5:00 p.m.

Board Meetings:
2nd Monday of the month